

SmartTracTM

Radiant Panel Solution

Radiant, the Smart Way.

- Deliver quiet, even, comfortable heat
- Configure for any space
- Fast and easy installation
- 80% lighter than thin slab
- Works with any floor covering
- Designed for 3/8" PEX/PERT tubing

Available at: 631-240-9173

PEXHEAT.COM

WattsRadiantTM



Available at: 631-240-9173

PEXHEAT.COM

SmartTrac™
Radiant Panel Solution

SmartTrac™ works with Watts Radiant's
RadiantPERT™ and RadiantPEX+™ Tubing.

SmartTrac™ is a non-structural, modular panel system, designed to simplify radiant heating and cooling installations in subfloor, wall and ceiling applications.

Easy to configure and quick to install, SmartTrac™ is a flexible solution for any new construction or remodeling project.



RadiantPERT™ Polyethylene Raised Temperature Tubing with Oxygen Barrier
RadiantPEX+™ Cross-linked Polyethylene Tubing w/EVOH Barrier



Available at:
PEXHEAT.COM

Compared to other radiant installation options, SmartTrac™ is...

SIMPLE
 • One-panel solution

FLEXIBLE
 • Configure for any space

EASY TO INSTALL
 • Significantly reduce installation time

CLEAN
 • No messy silicone required

RESPONSIVE
 • Responds faster than concrete

FAST
 • Eliminate schedule and curing delays


LIGHTWEIGHT
 • 2-1/2 lbs. (1 kg) per square foot

THIN
 • Ultra low profile, 5/8" (16 mm)


GREEN
 • Minimum 92% recycled content, CARB ULEF exempt

SmartTrac™ system works underneath:

Hardwood...




Tile...



and many other flooring choices

Anatomy of the SmartTrac™ System



SmartTrac™

Radiant Panel Solution

U.S. Patent # 6,533,185 and Patents Pending

In the USA
 Watts Radiant, Inc.
 4500 E. Progress Place
 Springfield, MO 6503
 417-864-6108 phone
 417-864-8161 fax
 1-800-276-2419 toll free
wattsradiant.com

In Canada
 5435 North Service Road
 Burlington, ON
 L7L 5H7
 905-332-4090 phone
 905-332-7068 fax
 1-888-208-8927 toll free
watts.ca



WattsRadiant™
 A Watts Water Technologies Company

Description	Model Number	Order Number	Weight
Standard Panel	ST838-ONE	81016822	8.95 lbs / 4.06 kg
Utility Panel (Optional)	ST838-UTILITY	81016823	8.65 lbs / 3.92 kg